

St. Helena Tree Permits - Removal Mitigation Update 2016

Last Update 08/2016

Address	Reason for removal	Mitigation, Type	Date	Owner	Status
1 1644 Spring Mountain	Walnut tree in declining health	15 Gallon Chinese Pistache or Ornamental Pear	3/12/2012	John Jaeger	owner does not want to plant, issue 12.24.200 "public nuisance"?
2 1151 Vintage	Remove 5 Althus trees lifting sidewalk	5-15 gallon Chinese Pistache/Crepe Myrtle	2/14/2013	Kathleen Forni	Trees planted
3 1131 Paulson	Sycamore, water main surrounded by roots	24" Box Sycamore	7/10/2014	Kathy Chesky	landscaping not completed, issue 12.24.200 public nuisance"?...tree still there
4 1554 & 1550 Voorhees	Mimosa on city side, crowding	Allow City Arborist to remove replace at owner's cost, 15 gallon tree	8/14/2014	City	
5 1221 Springbrook Court	Mexican Fan Palm is messy and safety hazzard	15 gallon tree, landscape not complete	8/14/2014		landscaping not complete, Jim to drive by and check
6 1325 Main Street	Roots lifting structure	24" box Chinese Pistache	9/11/2012	Orin Swift	Waiting on sidewalk design
7 St. Helena Library	Remove to put bike rack	4, 15 gallon trees, bike rack	May-15	City	Waiting on bee garden (Bee garden complete trees are part of ongoing planting..arbor days)
8 1000 N. Crane Ave		7, 15 gallon Crape Myrtles	5/10/2012	City	Being considered for Master Gardener's Demo Garden
9 Caltrans		10 trees		Caltrans	Trees are being palnted in conjuntion with Arbor day. Trees to be palnted on southside of library
10 St. Helena Library	New HVAC at library	Remove 1 tree, replacement on soutside	1/28/2014	City	Tree removed, replacement not completed, waiting on bee garden tree planted on Southside of Library
11 1480 Main (Chevron)	Main Street Replacement tree	Chinese Pistasche	Sep-13	City	Tree removed and in process to remove stump and replant and installation of tree grate
12 1153 Main (Exxon)	Main Street Replacement tree	Chinese Pistasche	Sep-13	City	Tree removed and in process to remove stump and replant and installation of tree grate
13 1065 Main (Umpua)	Main Street Replacement tree	Chinese Pistasche	Sep-13	City	Tree removed and in process to remove stump and replant and installation of tree grate
14 1000 Adams St	Tree was damaged in a hit and run	No mitigation. Tree Chanticlear Pear.		West America Bank	tree has been planted
15 1550 Kearney	Remove birch tree	Replant with Crepe Myrtle	7/11/2011	Pacific Tree Care	Crape myrtle still not planted
16 1655 Slyvanier	Redwood Tree top came off			Alexander Hasslip	
17 1764 Scott St					Arborist to keep an eye on, no tree planted
18 2070 Spring St	2 Plums removed				Arborist to check on status four crape myrtles palnted
19 Spring St/Valley View	Chanticleer Pears planted by previuos owner of property	denied to remove			Trees still in place
20 1341 Main Street					Waiting on sidewalk design
21 1107 Main Street	PG&E pipeline safety program. Tree is determined as unacceptable risk	PG&E to provide fundind to replant 4:1 (pays staff time and tree cost) trees can be palnted at any City ROW	Jul-16		City to provide mitigation estimates, Tree has not been removed
22 1386 Sylvaner	Liquidambar trip hazard	1 Chinise Pistache and suggest to plant one Oak in back yard	Jul-16		Tree has been removed, owner to replant by spring 2017
23 1Chaix In	Remove 8 Italian cypress an 1 Plum	9 trees to be palnted along City fence line with Mr Rosenbrand	3/10/2016	City	All cypress removed, plum to be removed and trees mitigated in Fall 2016